

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	"5309228".pn. and edge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 12:13
L2	0	"5309228".pn. and map\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 12:13
L3	0	"5309228".pn. and connectiv\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 12:13
L4	2	"5767978".pn. and edge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 12:14
L5	0	"5767978".pn. and (edge with map\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 12:13
L6	0	"5767978".pn. and (size near3 edge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 12:16
L7	5	(hough near5 space) and (edge with map\$5) and (parallel with line) and (histogram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 12:42
L8	2	"6697535".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 12:21
L9	5	7 and (detect\$5 with edge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 12:30
L10	2	9 and (connectiv\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 12:25
L11	1	7 and (dimension\$5 with histogram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 12:26

L12	5	7 and (histogram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 12:26
L13	2	"5309228".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 12:30
L14	0	13 and (detect\$5 with edge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 12:30
L15	0	13 and (edge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 12:30
L16	0	13 and (sweep\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 12:32
L17	1	7 and (mid-segment\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 12:33
L18	0	(hough near\$5 space) and (edge with map\$5) and (parallel with line) and (histogram) and (middle with (segment\$5 or line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 12:35
L19	2	(hough near\$5 space) and (edge with map\$5) and (parallel with line) and (histogram) and (mid with (segment\$5 or line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 12:37
L20	4	(hough near\$5 space) and (edge with map\$5) and (parallel with line) and (histogram) and (overlap\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 12:38
L21	4	(hough near\$5 space) and (edge with map\$5) and (parallel with line) and (histogram) and (edge with hough)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 12:39
L22	1	(hough near\$5 space) and (edge with map\$5) and (parallel with line) and (histogram) and (render\$5 with line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 12:39

L23	1	(hough near5 space) and (edge with map\$5) and (parallel with line) and (histogram) and (render\$5 with hough)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 12:39
L24	1	(hough near5 space) and (edge with map\$5) and (parallel with line) and (histogram) and (render\$5 same hough)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 12:39
L25	2	(hough near5 space) and (edge with map\$5) and (parallel with line) and (histogram) and (render\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 12:39
L26	25	(hough near5 (space or transform\$5 or conver\$5)) and (edge with map\$5) and (parallel with line) and (histogram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 12:43
L27	1	26 and (render\$5 with line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 12:43
L28	6	26 and (render\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 12:43
L29	7	(hough near5 (space or transform\$5 or conver\$5)) and (edge with map\$5) and (parallel with line) and (histogram) and connectivi\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 12:45
L30	2	(hough near5 (space or transform\$5 or conver\$5)) and (edge with map\$5) and (parallel with line) and (histogram) and (connectivi\$5 with edge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 12:52
L31	2	(hough near5 (space or transform\$5 or conver\$5)) and (edge with map\$5) and (parallel with line) and (histogram) and (connectivi\$5 same edge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 12:44
L32	7	(hough near5 (space or transform\$5 or conver\$5)) and (edge with map\$5) and (connectivi\$5 with edge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 12:49
L33	20	(hough near5 (space or transform\$5 or conver\$5)) and (connectivi\$5 with edge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 12:51

L34	99	(hough near5 (space or transform\$5 or conver\$5)) and (edge with map\$5) and (detect\$5 with edge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 12:53
L36	8	34 and (((two or "2") adj4 (dimension\$5 or d)) with histogram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 12:53
L37	1	36 and (connectiv\$5 with edge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 12:53
L38	5	36 and (size with edge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 12:53

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L8	979	(color near3 image near4 segment\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 12:59
L9	8	8 and (((two or "2") adj2 dimensional\$5) near4 histogram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 13:00
L10	5	9 and (normaliz\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 13:01
L11	2	9 and (normaliz\$6 same histogram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 13:20
L12	57	8 and (edge with map\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 13:20
L13	3	8 and ((edge with map\$5) same histogram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 13:21
L14	13	(edge with map\$5) and ((two or "2") adj3 (dimensional\$5 or d) near3 histogram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 13:22
L15	1	14 and connectiv\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 13:22
L16	1	14 and (detect\$5 near5 (small or tiny) near3 edge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 13:24
L17	57	(connectiv\$5 near3 analysis with edge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 13:25
L18	1	17 and (color near3 histogram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 13:24

L19	34	17 and (histogram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 13:25
L20	30	19 and color	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 13:25
L21	3	((connectiv\$5 near3 analysis with edge) same histogram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 13:26
L22	34	((connectiv\$5 near3 analysis with edge) and histogram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 13:27
L23	2	((connectiv\$5 near3 analysis with edge) and histogram) and (edge with map\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 13:35
L24	3	(hough near3 parametric\$5 near3 space)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 13:36
L25	177	(hough near3 space)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 13:36
L26	28	25 and (conver\$5 with edge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 13:36
L27	6	26 and (overlap\$5 with edge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 13:38
L28	2	26 and (render\$5 with line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 13:41
L29	59	((conver\$5 or transform\$5) with edge with Hough with space)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 13:41

L30	3	29 and (render\$5 with line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 13:42
L31	10	29 and (render\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 13:46
L32	1	29 and (render\$5 with edge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 13:42
L33	0	keitoku-ikeguchi.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 13:47
L34	28	ikeguchi-keitoku.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 13:47

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L53	77	((three or "3") adj2 dimension\$5) near4 histogram) and (((two or "s") adj2 dimension\$5) near4 histogram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 15:21
L54	2	53 and (detect\$5 near5 segment\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 15:20
L55	60	53 and (detect\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 15:20
L56	2	55 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 15:20
L57	1	(estimat\$5 near5 (((three or "3") adj2 dimension\$5) near4 histogram) with (((two or "s") adj2 dimension\$5) near4 histogram))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 15:23
L58	1	((estimat\$5 or determin\$5 or calculat\$5) near5 (((three or "3") adj2 dimension\$5) near4 histogram) with (((two or "s") adj2 dimension\$5) near4 histogram))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 15:38
L59	1	((estimat\$5 or determin\$5 or calculat\$5) near5 (((three or "3") adj2 dimension\$5) near4 histogram) same (((two or "s") adj2 dimension\$5) near4 histogram))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 15:24
L60	5	((estimat\$5 or determin\$5 or calculat\$5) near5 (((three or "3") adj2 dimension\$5) near4 histogram) and (((two or "s") adj2 dimension\$5) near4 histogram))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 15:26
L61	1	((estimat\$5 or determin\$5 or calculat\$5) near5 (((three or "3") adj2 dimension\$5) near4 histogram) with (((two or "2") adj2 dimension\$5) near4 histogram))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 15:24
L62	1	((estimat\$5 or determin\$5 or calculat\$5) near5 (((two or "2") adj2 dimension\$5) near4 histogram) same (((three or "3") adj2 dimension\$5) near4 histogram))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 15:26

L63	1	((estimat\$5 or determin\$5 or calculat\$5 or predict\$5 or interpolat\$5) near5 (((two or "2") adj2 dimension\$5) near4 histogram) same (((three or "3") adj2 dimension\$5) near4 histogram))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 15:30
L64	62	(((two or "2") adj2 dimension\$5) near4 histogram) same (((three or "3") adj2 dimension\$5) near4 histogram))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 15:27
L65	2	64 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 15:28
L66	1	((estimat\$5 or determin\$5 or calculat\$5 or predict\$5 or interpolat\$5) near5 (((two or "2") adj2 (d or dimension\$5)) near4 histogram) same (((three or "3") adj2 (d or dimension\$5)) near4 histogram))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 15:32
L67	109	(estimat\$5 or determin\$5 or calculat\$5 or predict\$5 or interpolat\$5) near5 (((two or "2") adj2 (d or dimension\$5)) near4 histogram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 15:36
L68	6	67 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 15:36
L69	0	68 and (((three or "3") adj2 (d or dimension\$5)) near4 histogram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 15:37
L70	22	67 and (((three or "3") adj2 (d or dimension\$5)) near4 histogram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 15:41
L71	0	((conver\$6) near5 (((three or "3") adj2 dimension\$5) near4 histogram) with (((two or "2") adj2 dimension\$5) near4 histogram))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 15:39
L72	7	(conver\$6) near5 (((three or "3") adj2 dimension\$5) near4 histogram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 15:39

L73	21	(conver\$6) near5 (((two or "2") adj2 dimension\$5) near4 histogram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 15:40
L74	0	73 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 15:40
L75	11	73 and (((three or "3") adj2 (d or dimension\$5)) near4 histogram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 16:09
L76	2	"5309228".pn. and dimension\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 16:10
L77	2	"5309228".pn. and (dimension\$5 with histogram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 16:11
L78	2	"5309228".pn. and (dimension\$5 with histogram three)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 16:11

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	37610	(graphic near3 image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 12:23
L2	95	1 and ((determin\$6 or detect\$5 or segment\$5) near4 sweep\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:42
L3	4	2 and (non-sweep\$5 or (non near3 sweep\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 12:27
L4	15	2 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 12:30
L5	13	2 and (histogram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 12:30
L6	2	1 and ((histogram) near6 sweep\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 12:41
L7	47	((histogram) near6 sweep\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 12:41
L8	4	7 and ((determin\$6 or detect\$5 or segment\$5) near4 sweep\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 12:41
L9	3805	1 and ((determin\$6 or detect\$5 or segment\$5) near4 (sweep\$5 or edge or boundar\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:07
L10	3479	1 and ((determin\$6 or detect\$5) near4 (sweep\$5 or edge or boundar\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:03
L11	828	10 and ((segment\$5 or group\$5 or regroup\$5 or re-group\$5 or separat\$5) near5 (sweep\$5 or edge or boundar\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:03

L12	329	1 and ((determin\$6 or detect\$5) near4 (sweep\$5 or edge or boundar\$5) near6 color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:18
L13	111	12 and ((segment\$5 or group\$5 or regroup\$5 or re-group\$5 or separat\$5) near5 (sweep\$5 or edge or boundar\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:19
L14	64	13 and ("358".clas. or "382".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:07
L15	9	14 and cieluv	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:08
L16	12	13 and cieluv	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:11
L17	15	12 and cieluv	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:14
L18	7	17 and histogram	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:15
L19	5	17 and (histogram same CIEluv)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:19
L20	1863	1 and ((sweep\$5 or edge or boundar\$5) near6 color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:18
L21	888	20 and ((sweep\$5 or edge or boundar\$5) near6 (detect\$5 or determin\$6 or judg\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:18
L22	892	20 and ((sweep\$5 or edge or boundar\$5) near6 (detect\$5 or determin\$6 or judg\$5 or discriminat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:18

L23	5	22 and (histogram same CIEIuv)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:19
L24	203	22 and (histogram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:19
L25	62	24 and ((segment\$5 or group\$5 or regroup\$5 or re-group\$5 or separat\$5) near5 (sweep\$5 or edge or boundar\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:49
L26	8	25 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:41
L27	227	(prabhakar-salil.in. or bala-raja.in. or cheng-hui.in. or handley-john.in. or handley-john-c.in. or lin-ying-wei.in.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:42
L28	2	27 and ((determin\$6 or detect\$5 or segment\$5) near4 sweep\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:43

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	37610	(graphic near3 image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 12:23
L2	95	1 and ((determin\$6 or detect\$5 or segment\$5) near4 sweep\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:42
L3	4	2 and (non-sweep\$5 or (non near3 sweep\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 12:27
L4	15	2 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 12:30
L5	13	2 and (histogram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 12:30
L6	2	1 and ((histogram) near6 sweep\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 12:41
L7	47	((histogram) near6 sweep\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 12:41
L8	4	7 and ((determin\$6 or detect\$5 or segment\$5) near4 sweep\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 12:41
L9	3805	1 and ((determin\$6 or detect\$5 or segment\$5) near4 (sweep\$5 or edge or boundar\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:07
L10	3479	1 and ((determin\$6 or detect\$5) near4 (sweep\$5 or edge or boundar\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:03
L11	828	10 and ((segment\$5 or group\$5 or regroup\$5 or re-group\$5 or separat\$5) near5 (sweep\$5 or edge or boundar\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:03

L12	329	1 and ((determin\$6 or detect\$5) near4 (sweep\$5 or edge or boundar\$5) near6 color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:18
L13	111	12 and ((segment\$5 or group\$5 or regroup\$5 or re-group\$5 or separat\$5) near5 (sweep\$5 or edge or boundar\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:19
L14	64	13 and ("358".clas. or "382".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:07
L15	9	14 and cieluv	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:08
L16	12	13 and cieluv	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:11
L17	15	12 and cieluv	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:14
L18	7	17 and histogram	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:15
L19	5	17 and (histogram same CIEluv)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:19
L20	1863	1 and ((sweep\$5 or edge or boundar\$5) near6 color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:18
L21	888	20 and ((sweep\$5 or edge or boundar\$5) near6 (detect\$5 or determin\$6 or judg\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:58
L22	892	20 and ((sweep\$5 or edge or boundar\$5) near6 (detect\$5 or determin\$6 or judg\$5 or discriminat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:18

L23	5	22 and (histogram same CIEluv)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:19
L24	203	22 and (histogram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:19
L25	62	24 and ((segment\$5 or group\$5 or regroup\$5 or re-group\$5 or separat\$5) near5 (sweep\$5 or edge or boundar\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 14:00
L26	8	25 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:41
L27	227	(prabhakar-salil.in. or bala-raja.in. or cheng-hui.in. or handley-john.in. or handley-john-c.in. or lin-ying-wei.in.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:42
L28	2	27 and ((determin\$6 or detect\$5 or segment\$5) near4 sweep\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:43
L30	137	(graphic near4 imag\$5) and (((sweep or edge or boundar\$5) near6 (detect\$5 or determin\$6 or judg\$5 or discriminat\$5)) same histogram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 14:09
L31	76	30 and ((segment\$5 or group\$5 or regroup\$5 or re-group\$5 or separat\$5) near5 (sweep\$5 or edge or boundar\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 14:10
L32	1063	(((sweep or edge or boundar\$5) near6 (detect\$5 or determin\$6 or judg\$5 or discriminat\$5)) same histogram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 14:55
L33	353	32 and ((segment\$5 or group\$5 or regroup\$5 or re-group\$5 or separat\$5) near5 (sweep\$5 or edge or boundar\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 14:13
L34	60	33 and (color near6 conver\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 14:12

L35	80	32 and ((segment\$5 or group\$5 or regroup\$5 or re-group\$5 or separat\$5) near5 (sweep\$5 or edge or boundar\$5) with histogram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 15:16
L36	1	35 and (cieluv or (cie near3 luv))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 14:22
L37	8	32 and (cieluv or (cie near3 luv))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 14:22
L38	1063	((sweep or edge or boundar\$5 or (uniform\$4 near3 color near3 (chang\$4))) near6 (detect\$5 or determin\$6 or judg\$5 or discriminat\$5)) same histogram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 14:56
L39	2	((sweep or edge or boundar\$5 or (uniform\$4 near3 color near3 (chang\$4))) near6 (detect\$5 or determin\$6 or judg\$5 or discriminat\$5)) same histogram) same (uniform\$4 near3 color near3 (chang\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 14:57
L40	10	((sweep or edge or boundar\$5 or (uniform\$4 near3 color near3 (chang\$4))) near6 (detect\$5 or determin\$6 or judg\$5 or discriminat\$5)) same histogram) and (uniform\$4 near3 color near3 (chang\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 15:15
L41	1102	((sweep or edge or boundar\$5 or (color near3 (chang\$4))) near6 (detect\$5 or determin\$6 or judg\$5 or discriminat\$5)) same histogram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 15:15
L42	84	41 and ((segment\$5 or group\$5 or regroup\$5 or re-group\$5 or separat\$5) near5 (sweep\$5 or edge or boundar\$5 or (chang\$3 near4 color)) with histogram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 15:33
L43	12	42 and (color near4 chang\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 15:38
L44	0	43 and luv	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 15:38

L45	1	43 and cieluv	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 15:38
L46	9	42 and ((two or "2" or three or "3") near3 dimension\$5 with histogram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 15:40

[◀ Back to Previous Page](#)**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard

1 A hierarchical approach to color image segmentation using homogeneity*Heng-Da Cheng; Ying Sun;*

Image Processing, IEEE Transactions on , Volume: 9 , Issue: 12 , Dec. 2000

Pages:2071 - 2082

IEEE JNL

2 Color image adaptive segmentation based on rival penalized competitive learning*Cheng-Wan An; Gui-Zhi Li; Guo-Sheng Yang; Min Tan;*

Machine Learning and Cybernetics, 2004. Proceedings of 2004 International Conference on , Volume: 4 , 26-29 Aug. 2004

Pages:2558 - 2562 vol.4

IEEE CNF

3 Segmenting color images using normalized deviation body reflectance*Lifeng Liu; Guangyou Xu;*

Systems, Man, and Cybernetics, 1996., IEEE International Conference on , Volume: 1 , 14-17 Oct. 1996

Pages:487 - 492 vol.1

IEEE CNF

4 An image segmentation method based on a color space distribution model*Aizu, M.; Nakagawa, O.; Takagi, M.;*

Data Compression Conference, 1995. DCC '95. Proceedings , 28-30 March 1995

Pages:439

IEEE CNF

5 Results using random field models for the segmentation of color images of natural scenes*Panjwani, D.; Healey, G.;*

Computer Vision, 1995. Proceedings., Fifth International Conference on , 20-23 June 1995

Pages:714 - 719

IEEE CNF

6 Improved techniques for automatic image segmentation*Hai Gao; Wan-Chi Siu; Chao-Huan Hou;*

Circuits and Systems for Video Technology, IEEE Transactions on , Volume: 11 , Issue: 12 , Dec. 2001

Pages:1273 - 1280

IEEE JNL

7 Towards physics-based segmentation of photographic color images*Luo, J.; Gray, R.T.; Hsien-Che Lee;*

Image Processing, 1997. Proceedings., International Conference on , Volume: 3 , 26-29 Oct. 1997

Pages:58 - 61 vol.3

IEEE CNF

8 Fuzzy-based segmentation of color natural images*Xiaoyan Dai; Maeda, J.;*

Signal Processing, 2002 6th International Conference on , Volume: 2 , 26-30 Aug. 2002

Pages:969 - 972 vol.2

IEEE CNF

9 Fuzzy based unsupervised segmentation of textured color images*Xiaoyan Dai; Maeda, J.;*

Image Processing. 2002. Proceedings. 2002 International Conference on , Volume: 3 , 24-28 June 2002

Pages:III-293 - III-296 vol.3

IEEE CNF

10 A parallel color algorithm for segmenting images of 3-D scenes*Healey, G.;*

Multidimensional Signal Processing Workshop, 1989., Sixth , 6-8 Sept. 1989

Pages:77

IEEE CNF

11 The use of visible color difference in the quantitative evaluation of color image segmentation*Hsin-Chia Chen; Sheng-Jyh Wang;*

Acoustics, Speech, and Signal Processing, 2004. Proceedings. (ICASSP '04). IEEE International Conference on , Volume: 3 , 17-21 May 2004

Pages:iii - 593-6 vol.3

IEEE CNF

12 Color distance histogram: a novel descriptor for color image segmentation*Kai-Kuang Ma; Junxian Wang;*

Control, Automation, Robotics and Vision, 2002. ICARCV 2002. 7th International Conference on , Volume: 3 , 2-5 Dec. 2002

Pages:1228 - 1232 vol.3

IEEE CNF

13 Object contour extraction using color and motion*Dubuisson, M.-P.; Jain, A.K.;*

Computer Vision and Pattern Recognition, 1993. Proceedings CVPR '93., 1993 IEEE Computer Society Conference on , 15-17 June 1993

Pages:471 - 476

IEEE CNF

14 Segmentation of color textures

Mirmehdi, M.; Petrou, M.;

Pattern Analysis and Machine Intelligence, IEEE Transactions on , Volume: 22 , Issue: 2 , Feb. 2000

Pages:142 - 159

IEEE JNL

15 Color based video segmentation using level sets

Harper, P.; Reilly, R.B.;

Image Processing, 2000. Proceedings. 2000 International Conference on , Volume: 3 , 10-13 Sept. 2000

Pages:480 - 483 vol.3

IEEE CNF

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3745	358/1.9,522,523.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 18:53
L2	5153	382/199,168-172,164,173,180,181,194.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 18:54
L3	9	(1 or 2) and (image with segmentation) and (("2" or two) adj3 dimension\$5 adj4 histogram) and (edge with detect\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 18:55

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☒ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.